



Medical chemical Corp.
19430 Van Ness Ave.
Torrance, CA 90501

Customer Service: Phone (310)787-6800
FAX (310)787-4464

CHEMTREC Emergency Response Telephone Number: (800)424-9300

Note: The CHEMTREC phone number is only for emergencies involving spills, leaks, fire, exposure or accident. Please direct all other inquiries to our customer service phone number.

Section 1 - Product Identification

A solution of mercuric chloride and acetic acid in alcohol and water.

Section II - Composition/Information on Hazardous Components

Ingredients	CAS#	OSHA PeI	ACGIH TLV	Other Limits	%
mercuric chloride	7487-94-7	0.1 mg/m ³ (TWA) skin	0.025 mg/m ³ (TWA) skin		4.5% w/v
acetic acid	64-19-7	25 mg/m ³ (TWA)	25 mg/m ³ (TWA)		1% v/v
ethanol	64-17-5	1000 ppm (TWA)	1000 ppm (TWA)		27% v/v
isopropanol	67-63-0	400 ppm (TWA)	400 ppm (STEL)		1.5% v/v
methyl alcohol	67-56-1	200 ppm (TWA)	200 ppm (TWA)		1.5% v/v

Section III - Hazards Identification

Overview: Toxic by inhalation absorption or ingestion. Can not be made nontoxic. Methanol is a cumulative poison and death has been reported for ingestion of less than 30 milliliters. Causes CNS depression, headache, intoxication, dilation of the pupils, convulsions nausea, and dizziness. Unconsciousness and death may result. Methanol intoxication may produce visual disturbances and blindness. Mercury salts are extremely toxic. Mercuric chloride is an experimental teratogen and mutagen. Signs of overexposure include increased salivation, foul breath, abdominal pain, bloody diarrhea and inflammation and/or ulceration of the mucous membranes. Skin contact may result in burns and/or dermatitis.

Safety Ratings


Health: Hazardous *Flammability:* Flammable *Reactivity:* Slight *Contact:* Hazardous

Recommended safety equipment: safety goggles, lab coat and proper gloves

Storage: Room Temperature away from sources of ignition.

NFPA Ratings

Health = 2 Flammability = 3 Reactivity = 1



Potential Health Effects

The toxicology of this compound have not been completely examined. It is presumed that the toxicity of this item is similar to that of other mercury compounds. Because of the genetic toxicity of mercury compounds, Pregnant women should be particularly vigilant when handling this item.

Inhalation: Alcohols are absorbed through the mucous membranes and will produce irritation as well as the same effects as ingestion.

Ingestion: Inhalation will produce CNS disturbance, dizziness, photophobia, headache, stupor, coma and death. Mercuric chloride is a highly toxic cumulative poison and extremely corrosive.

Skin contact: Alcohols are absorbed through the skin (as is mercuric chloride). Repeated contact with alcohols causes defatting of the skin with resultant irritation and flaking. Repeated contact with mercuric chloride can cause systemic poisoning.

Eye contact: Irritating and corrosive. Even brief contact can cause irreversible eye damage.

Chronic Exposure: Mercury salts are cumulative poisons. Mercuric chloride is an experimental teratogen and mutagen

Aggravation of preexisting conditions: Impaired kidney and liver function may be aggravated by exposure to alcohols and/or mercuric chloride. Preexisting eye, skin, and respiratory conditions may also be aggravated. Methanol has shown genetic toxicity in some animals.

Section IV - First Aid Measures

Inhalation: Remove from source of exposure and get immediate medical attention. Be prepared to assist breathing.

Ingestion: Do not induce vomiting if patient is unconscious or extremely drowsy. Otherwise administer 2 glasses of water and induce vomiting. Get immediate medical attention even if symptoms improve.

Skin Contact: In case of skin contact, remove contaminated clothing and flush with water. Wash affected area with soap and water. Get medical advice.

Eye Contact: In case of eye contact, flush with water for at least 15 minutes and get immediate medical attention.

Section V - Fire Fighting Measures

Flash point: 30°C (87°F) TCC

Flammable Limits (for ethanol): LEL 3% UEL 19%

Fire: Water is ineffective against alcohol fires but may be used to cool adjacent containers.

Fire Extinguishing Media: Alcohol foam, carbon dioxide or dry chemical.

Special information: Pyrolysis will release mercurial compounds.

Section VI - Accidental Release Measures

Remove all sources of ignition, absorb with a suitable absorbent and store for disposal or recycling. Mercury compounds are subject to reportable quantities under CERCLA and may not be flushed down the drain. Insure compliance with all government regulations.

Section VII - Handling and Storage

Store in a closed container, away from open flames or other sources of ignition.

Section VIII - Exposure Control/Personal Protection

Airborne Exposure Limits: See section II

Ventilation System: Usually not required. When required, Refer to the ACGIH document, "Industrial Ventilation, a Manual of Recommended Practices" for details about ventilation.

Personal Respirator: Usually not required. In case of emergency, or when exposure levels are unknown, use a positive pressure, full face piece, air supplied respirator.

Skin protection: Protective gloves are required.

Eye Protection: Laboratory safety goggles or similar products are required.

Section IX - Physical and Chemical Properties

Boiling Point: 88°C (190°F)

Vapor pressure (mm Hg): Unknown

Vapor Density (air = 1): Unknown

Appearance and Odor: A clear, colorless liquid with the characteristic odor of alcohol.

Density: 0.99 g/ml

Evaporation Rate (Water = 1): 1

Solubility: Infinitely miscible with water

Section X - Stability and Reactivity

Stability: Freezes at low temperature.

Hazardous Decomposition Products: Mercury compounds.

Hazardous polymerization: Will not occur.

Incompatibilities: Oxidizers.

Conditions to avoid: heat, flame and sources of ignition.

Section XI - Toxicological Information

Chronic consumption of ethanol is believed to be linked to liver disease, cancer and birth defects. Mercuric chloride is a highly toxic cumulative poison.

Cancer lists

<i>Ingredient</i>	<i>Known Carcinogenicity?</i>	<i>Anticipated?</i>	<i>IARC Category</i>
Ethanol	no	no	none
Methanol	no	no	none
Isopropanol	no	no	3
Mercuric Chloride	yes	no	3
Acetic Acid	no	no	none

Section XII - Ecological Information

Environmental Fate: Not biodegradable

Environmental Toxicity: Very toxic

Ethanol evaporates quickly and is not expected to bioaccumulate. The material is removed from the air by dry and liquid adsorption. The half-life for ethanol in the atmosphere is one to ten days. Mercuric chloride will bioaccumulate.

Section XIII - Disposal

Disposal of mercury compounds is severely restricted. Waste should be sent to an approved waste disposal facility.

Section XIV - Transportation information

DOT Shipping name: Ethyl alcohol solution *Hazard Class:* 3 *Packaging Group:* II

DOT Hazard Label: Flammable liquid *DOT Identification Number:* UN1170

Bottles smaller than 32 Fl. Oz. are eligible to be shipped under ORM-D or limited quantity exemptions [49 CFR section 173.150(b)(2) and 173.150(C)].

Section XV - Regulatory Information

Chemical Inventory Status

Ingredient	TSCA	EC
Ethanol	Yes	Yes
Methanol	Yes	Yes
Isopropanol	Yes	Yes
Mercuric Chloride	Yes	Yes
Acetic Acid	Yes	Yes

Federal, State and International Regulations

Ingredient	SARA 302		SARA 313		RCRA	TSCA
	RQ	TPQ	List	Category	261.33	8(D)
Isopropanol	No	No	Yes	No	No	No
Methanol	No	No	Yes	No	U154	No
Ethanol	No	No	No	No	No	No
Mercuric Chloride	500	500	No	Mercury Cmpd	No	No
Acetic Acid	No	No	No	No	No	No
Chemical Weapons Convention: No			TSCA 12(b): No CDTA: Yes			
SARA 311/312: Acute: Yes, Chronic: Yes, Flammable: Yes						

Section XVI - Other Information

This information is believed to be correct but is not warranted as such, nor does it purport to be all inclusive.

Revision Date: Mar. 27, 2006